Paraphrase and Plagiarism: Appropriate Source Use in Science Writing

BIO152H

May 18, 2018

Michael Kaler

Writing Specialist

Robert Gillespie Academic Skills Centre

Contact Us

Robert Gillespie Academic Skills Centre North Building, Room 3251

www.utm.utoronto.ca/asc academicskills.utm@utoronto.ca 905-828-3858

Text for "Source Use" Exercises

Demicheli V, Rivetti A, Debalini MG, Di Pietrantonj C. Vaccines for measles, mumps and rubella in children. *Cochrane Database of Systematic Reviews* 2012, Issue 2. Art. No.: CD004407.

Original:

Association between MMR immunisation and occurrence of encephalopathies was investigated in three studies: one case- control study (Ray 2006) and two self controlled case series studies (Makela 2002; Ward 2007). The case-control study of Ray (2006) tested if hospitalisations due to encephalopathy, Reyes syndrome or encephalitis (Table 6) occurring in children aged zero to six years could be linked to MMR vaccine administration.

Student's Use of the Source:

This paper will investigate the association between MMR immunisation and the occurrence of encephalopathies. In particular, it will report on whether hospitalisations related to encephalopathy, Reyes syndrome or encephalitis in children less than six years old can be related to MMR vaccine administration.¹

- A = Plagiarism
- B = OK
- C = Incorrect use of the source

Original:

Makela (2002) was based on a surveillance study by the National Public Health Institute that began after the introduction of MMR vaccination in Finland for children aged 14 to 18 months and six years (1982). . . . Trial authors stated that no hospitalisation excess for encephalitis or encephalopathy was observed during the three months post-immunisation (P = 0.28).

Student's Use of the Source:

Current scholarship demonstrates that no hospitalization excess for encephalitis or encephalopathy occurs within three months of being immunized [1].

- A = Plagiarism
- B = OK
- C = Incorrect use of the source

Plagiarism: A Serious Crime?



3 Key Terms (with thanks to "OWL Purdue")

Quotation

- Identical to the original, using specific words in quotation marks
- Every word matches the source document
- Attribute to the original source

Paraphrase

- Put a passage from the source material into your own words
- Usually shorter than the original source, take a somewhat broader passage from the source and condensing it
- Attribute to the original source

Summary

- Put the main point(s) in your own words, include only the main point(s)
- Significantly shorter than the original; a very broad overview of the source
- Attribute to the original source

Paraphrase

- Your rendition of essential information and ideas expressed by someone else, presented in a new form
- One legitimate way (when accompanied by accurate documentation) to borrow from a source
- A more detailed restatement than a summary

With thanks to "OWL Purdue" for this definition

How to Paraphrase

- 1. Re-read the original passage until you understand its full meaning
- 2. Set the original aside, and write/type your paraphrase on a piece of paper
 - Don't worry if you didn't get exact numbers right, you can add them later
- Write a few words below your paraphrase to remind you later how you think you'll use the material
- 4. Check your rendition with the original to make sure that your version accurately expresses all the essential information in a new form
- 5. Rewrite it again without looking at the original
 - Change as many words as possible
- 6. Use quotation marks to identify any unique term or phrase you borrowed exactly from the source
- 7. Record the source (including the page) in your notes so that you can credit it easily if necessary

3 Reasons to Paraphrases

- 1. Forces you to critically read and develop a full and deep understanding of the source material
- 2. Helps you develop your own vocabulary
- Allows you to participate in the scholarly conversation with your own voice, without requiring you to contribute something completely new

Paraphrase Sample 1

Original

Effectiveness against measles was investigated in three cohort studies (Marin 2006; Marolla 1998; Ong 2007). One cohort study (Marolla 1998) evaluated the effectiveness of MMR vaccination in preventing clinical cases of measles in children aged 18 to 90 months from several local health agencies in Rome, Italy (n =2745). Vaccination was performed with three different commercial MMR vaccines, two containing both Schwarz strain (Pluserix and Morupar) and one other prepared with Edmonston-Zagreb strain (Triviraten). Vaccines effectiveness was calculated by using the following formula [1-(measles incidence among vaccinated/measles incidence among unvaccinated) x 100]. Effectiveness (one dose) was estimated to be 97% (95% confidence interval (CI) 88 to 99) in the Morupar study arm, whereas no méasles casés were found among Pluserix recipients. Effectiveness was comparably high (95%; 95% CI 90 to 98) when Triviraten was administered.

Paraphrase

Demicheli, Rivetti, and Di Pietrantoj have investigated effectiveness against measles. They evaluated the efficacy of MMR vaccination in preventing clinical cases of measles in kids between the ages of 18 to 90 months from a number of local health agencies in Rome, Italy. They observed that vaccination was performed with three different commercial MMR vaccines, two of which contained the Schwarz strain (Pluserix and Morupar) and one of which contained the Edmonston-Zagreb strain (Triviraten). The vaccines' efficacy was calculated by using a complex formula. They determined that effectiveness was approximately 97% in the Morupar study arm, whereas it was 100% in Pluserix recipients. Effectiveness was about 95% with Triviraten.

Paraphrase Sample 2

Original

Effectiveness against measles was investigated in three cohort studies (Marin 2006; Marolla 1998; Ong 2007). One cohort study (Marolla 1998) evaluated the effectiveness of MMR vaccination in preventing clinical cases of measles in children aged 18 to 90 months from several local health agencies in Rome, Italy (n =2745). Vaccination was performed with three different commercial MMR vaccines, two containing both Schwarz strain (Pluserix and Morupar) and one other prepared with Edmonston-Zagreb strain (Triviraten). Vaccines effectiveness was calculated by using the following formula [1-(measles incidence among vaccinated/measles incidence among unvaccinated) x 100]. Effectiveness (one dose) was estimated to be 97% (95% confidence interval (CI) 88 to 99) in the Morupar study arm, whereas no measles cases were found among Pluserix recipients. Effectiveness was comparably high (95%; 95% CI 90 to 98) when Triviraten was administered.

Paraphrase

Demicheli, Rivetti, and Di Pietrantoj report on a cohort study⁸ that assessed the efficacy of MMR vaccinations against measles in 2745 children between the ages of 18 and 90 months. Three different vaccines were administered, two with the Schwarz strain (Pluserix and Morupar) and one with the Edmonston-Zabreb strain (Triviraten). Calculating effectiveness as [1-(measles incidence among vaccinated / measles incidence among unvaccinated) x 100], the study found Pluserix was 100% effective, while Morupar was 97% and Triviraten was 95%.⁹

University of Toronto "Code of Behaviour on Academic Matters"




NOTE: "Wherever in this Code an offence is described as depending on "knowing", the offence shall likewise be deemed to have been committed if the person ought reasonably to have known."

The Code in Other Words

- Ignorance is no excuse
- Accidental plagiarism is as serious as an offence as intentional plagiarism

A Good Source of Information

http://www.utm.utoronto.ca/academic-integrity/students



Why is Plagiarism Taken Seriously?

 It denies the mutuality and interdependence which are the heart of scholarship

 It prevents students from developing their own writing and research (and many other related) skills

 In short, you can't write effectively and contribute to the scholarly conversation unless you know how to paraphrase properly and avoid plagiarism

1. Is the following considered plagiarism?

You include a short passage from an essay you wrote this year in an essay you write next year.

- A. Yes, this is plagiarism
- B. No, this is not plagiarism

2. Is the following considered plagiarism?

You get a friend to proofread your essay for this class. Your friend identifies a number of areas you need to improve, fixes some grammar mistakes, changes a few words and phrases, improves some of the vocabulary, but does change the argument or basic structure of the essay.

- A. Yes, this is plagiarism
- B. No, this is not plagiarism

7 Different Kinds of Plagiarism

1. Paper-mill plagiarism

- Submitting work prepared by a third-party

2. Collusion

- Submitting work created in part by someone else

3. Self-plagiarism

- Re-submitting work written for another assignment

4. Failure to quote

- Quoting or repeating someone else's words without acknowledging the source (includes "apt phrases")

7 Different Kinds of Plagiarism con't

5. Paraphrase plagiarism

- Translating someone else's words into your own but retaining the argument without acknowledging the source

6. Patch-writing

- Taking words or phrases and patching them together into new sentences without acknowledging which words appear in another source
- Word switching

7. Concealing sources

- Using an idea or line of argument without acknowledging the source

Penalties for Academic Offences

- Very unpleasant discussions with your instructor, the department chair, and/or the dean, possibly with lawyers involved
- A big waste of time, energy, and emotion for everyone involved
- Significant damage to your self-esteem and reputation
- 0 on the assignment (for smaller assignments)
- Reduction in final grade
- 0 for final grade
- Denial of use of university facilities
- Record of offense on your transcript
- Suspension
- Expulsion
- Retroactive cancellation of degree

Remember that you cannot drop the course while an academic integrity investigation is going on—you can't run away!

7 Tips to Avoid Plagiarism

- 1. Budget your time so that you are not scrambling at the last minute
- 2. Paraphrase and summarize
- Remind yourself that research and analysis are actually discussion and dialogue
 - You are part of the scholarly conversation
- 4. Write in stages, do multiple revisions
- 5. Make your topic as specific as possible
- 6. Print out electronic sources, where possible
- 7. Model your writing (use of sources) on a recent article published in your field (ask your professor for a recommendation)

Original

Currently, this is the only review covering both effectiveness and safety issues of MMR vaccines. . . . The study of Wakefield (Wakefield 1998), linking MMR vaccination with autism, has been recently fully retracted (The Editors of The Lancet 2010) as Dr. Wakefield has been found guilty of ethical, medical and scientific misconduct in the publication of the paper; many other authors have more-over demonstrated that his data were fraudulent (Flaherty 2011). A formal retraction of the interpretation that there was a causal link between MMR vaccine and autism has already been issued in year 2004 by 10 out of the 12 original coauthors (Murch 2004).

Student's use of source

The only published study of both the effectiveness and safety of MMR vaccines notes that high profile research presenting a causal relationship between MMR vaccine and autism has been retracted [1].

- A = Plagiarism
- B = OK
- C = Incorrect use of the source

Original

The study of Wakefield (Wakefield 1998), linking MMR vaccination with autism, has been recently fully retracted (The Editors of The Lancet 2010) as Dr. Wakefield has been found guilty of ethical, medical and scientific misconduct in the publication of the paper; many other authors have moreover demonstrated that his data were fraudulent (Flaherty 2011). A formal retraction of the interpretation that there was a causal link between MMR vaccine and autism has already been issued in year 2004 by 10 out of the 12 original co-authors (Murch 2004).

Student's Use of Source

For example, the famous Wakefield study¹⁴ connecting MMR vaccination with autism has been recently fully retracted,15 and the author has been found guilty of ethical, medical and scientific misconduct. Furthermore, many authors have demonstrated that his data were fraudulent.¹⁶

- A = Plagiarism
- B = OK
- C = Incorrect use of the source

Original

The study of Wakefield (Wakefield 1998), linking MMR vaccination with autism, has been recently fully retracted (The Editors of The Lancet 2010) as Dr. Wakefield has been found guilty of ethical, medical and scientific misconduct in the publication of the paper; many other authors have moreover demonstrated that his data were fraudulent (Flaherty 2011). A formal retraction of the interpretation that there was a causal link between MMR vaccine and autism has already been issued in year 2004 by 10 out of the 12 original co-authors (Murch 2004). At that time (1998) an excessive and unjustified media coverage of this small study had disastrous consequences (Flaherty 2011; Hilton 2007; Offit 2003; Smith 2008), such as distrust of public health vaccination programmes, suspicion about vaccine safety, with a consequential significant decrease in MMR-vaccine coverage and re-emergence of measles in the UK.

Student's Use of Source

It can be argued that the current distrust of public health vaccination programmes and much of the suspicion about vaccine safety is the result of the Wakefield study.10 Many researchers believe that the return of measles in the UK is the ultimate consequence of Wakefield's research.

- A = Plagiarism
- B = OK
- C = Incorrect use of the source

Original

There are some weaknesses in our review... We were unable to include a majority of the retrieved studies because a comparable, clearly-defined control group or risk period was not available. The exclusion may be a limitation of our review or may reflect a more fundamental methodological dilemma: how to carry out meaningful studies in the absence of a representative population not exposed to a vaccine that is universally used in public health programmes. Whichever view is chosen, we believe that meaningful inferences from individual studies lacking a non-exposed control group are difficult to make.

Student's Use of Source

Research into the relationship between the MMR vaccine and autism has some weaknesses. For example, many recent studies suffer from a fundamental methodological dilemma: they are lacking a non-exposed control group. In other words, it is difficult to conduct research when there is "not a representative population not exposed to a vaccine that is universally used in public health programmes." ¹⁷

- A = Plagiarism
- B = OK
- C = Incorrect use of the source

Original

There are some weaknesses in our review... We were unable to include a majority of the retrieved studies because a comparable, clearly-defined control group or risk period was not available. The exclusion may be a limitation of our review or may reflect a more fundamental methodological dilemma: how to carry out meaningful studies in the absence of a representative population not exposed to a vaccine that is universally used in public health programmes. Whichever view is chosen, we believe that meaningful inferences from individual studies lacking a non-exposed control group are difficult to make.

Student's Use of Source


A recent meta-study of research on the relationship between the MMR vaccine and autism admits to some methodological challenges, the most important of which is the fact that many studies lack a control group that has not been exposed to the vaccine.²²

- A = Plagiarism
- B = OK
- C = Incorrect use of the source

Turnitin.com



Screenshot of Turnitin.com 1



Screenshot of Turnitin.com 2

